



30th Edition





INSIDE THIS ISSUE:

1

1

1

2

FHWA Revises MUTCD
New 511 Features
Road Rangers Survey
Secondary Crash Awareness

Upcoming Events:

TIM Team Meeting :

Wednesday February 17th, 2010 9:30 am Florida Highway Patrol 4700-3 Terminal Drive Ft. Myers, FL



Federal Highway Administration Revises Rules to Make Highways Safer

Manual on Uniform Traffic Control Devices

WASHINGTON – As part of his continuing effort to improve safety on the nation's roads and bridges, U.S. Transportation Secretary Ray LaHood today released a comprehen-

sive update to the Manual on Uniform Traffic Control Devices (MUTCD). The manual, which has been administered by the Federal Highway Administration (FHWA) since 1971, sets the standards for road safety throughout the country.

"Safety is this Department's top priority," said Secretary LaHood. "These new and updated standards will help make our nation's roads and bridges safer for drivers, construction workers and pedestrians alike."

The MUTCD is the national standard for all traffic control devices, including traffic signs, pavement markings, signals and any other devices used to regulate, warn or guide traffic. Ensuring uniformity of traffic control devices across the nation – from their messages and placement to their sizes, shapes and colors – helps to reduce crashes and traffic congestion. This is the first comprehensive update to the manual since 2003.

The MUTCD's 2009 edition features many new and updated requirements, ranging from changes in highway signs and bike lanes to the color of high-visibility garments worn by road workers. Most changes are a result of extensive research; however, seven changes stem from recommendations from the National Transportation

Safety Board. This is the largest num-

ber of NTSB recommendations adopted by the MUTCD at one time.

"Adopting the lessons learned in recent years will help make roads safer for everyone," said Federal Highway Administrator Victor Mendez.

By requiring better pavement markings which can increase bike lane safety, and extending walk times for pedestrians at crosswalks, the updated MUTCD furthers the "complete streets" concept – an effort long championed by the FHWA to ensure roads accommodate all types of travel, not just automobiles.

Among the other new provisions in the MUTCD:

- Replacing highway signs with brighter, larger and more legible ones that are easier to understand at freeway speeds. States will begin using the newer signs as existing ones wear out.
- Adding different lane markings for lanes that do not continue beyond an intersection or interchange to give drivers more warning that they need to move out of the lane if they don't intend to turn.
 - Expanding the use of flashing yellow arrow signals at some intersections to give a clearer indication that drivers can turn left after yielding to any opposing traffic.

- Changing the formula used to calculate crosswalk times to give pedestrians more time.
- Identifying electronic toll collection lanes with purple signs – the first time purple has been sanctioned for use on highway signs.
- Adding overhead lane-use control signs to reduce confusion among drivers in unfamiliar multi-lane roadways

Regarding Traffic Incident Management and of interests to the TIM Teams, the MUTCD in Chapter 6-I expands the concept and requires multi-agency training, including both Public Safety and private sector TIM responders. There is also emphasis on emergency vehicle positioning that allows for a safe incident scene but assures that traffic flow through the incident scene is optimized.

The manual expands on the 2003 addition by stating that all incident responders arriving at a traffic incident should estimate the magnitude of the incident, the expected duration of the event, and expected queue length, and set up the appropriate temporary traffic control for these estimates.

An effort to increase an awareness for potential secondary crashes will be the topic of discussion following a presentation by Ted Smith at the next TIM Team meetings.

At this time, the Florida Department of Transportation has not yet adopted this version of the manual for use in Florida. It is expected to be adopted for use later this year.

For an overview of the new rules and recommendations, visit <u>http://mutcd.fhwa.dot.gov</u>.

- DOT Press Release, Doug Hecox (FHWA)

Reminder: Added Features to the Statewide 511 Website!



As discussed during the latest TIM Team meetings, please check out the new features available on the 511 website.

http://www.southwestflorida511.com/Login.aspx? ReturnUrl=%2fMyFL511.aspx

Mr. Jim Hilbert (FDOT) has graciously provided the TIM Teams with a step-by-step pictorial guide to setting up 511 Alerts. This guide has been uploaded to the TIM Team website and is also attached to this newsletter.

Road Rangers Survey for Incident Responders

FDOT Central Office wants your feedback! They have provided a survey for those who are interested in offering their input. This survey has been distributed to first responders via email, and is also available on the TIM website and as an attachment to this newsletter.

SECONDARY CRASH AWARENESS

The sensational headlines and human interest stories often accompanying media coverage of multiple-vehicle crashes or "pile-ups" are our constant reminders of how important our work is and why, as first responders, the public and our safety must always be our number one priority.

Research by FDOT in 2002⁽¹⁾ revealed that approximately 54% of congestion is caused by incidents and that 13 to 33% of crashes are secondary to earlier incidents. Most sobering, it was also reported that incident responder injuries are also significant: approximately 60% of the law enforcement officers that die while in the line of duty are responding to a traffic incident.

Secondary crashes, due to many environmental, vehicle and driver factors will occur. However, in Florida, we have been very proactive and aggressive in formulating and deploying various initiatives to reduce the incidence or ameliorate the impact of secondary crashes. Some of these initiatives include the enactment of the "Move Over Law", the "Move It, Yes You Can!" Program, the Open Roads Policy, and the establishment of the Traffic Incident Management Teams and Road Rangers programs. These programs have reduced many secondary crashes and the associated losses in property damage as well as injuries and deaths.

Virtually across all roadways, thousands of what would otherwise be minor crashes lead to secondary crashes. Sadly, in many cases, the secondary crash turns out to be more hazardous than the initial crash and may occur even when everything is staged properly due to rubbernecking, reckless driving, DUI, or simply a weather event. A second incident might even make it more difficult for responders to reach a second rescue/evacuation scene. How can we ever forget the 2008 pile-up on Interstate 4 near Polk City? The chain-

reaction crashes were the result of extremely limited visibility due to smoke from a brush fire which started as a controlled burn, and fog in the area⁽²⁾. Four people perished and approximately 40 were injured as the result of 10 different crashes involving 70 vehicles. At least 20 of these vehicles were semi tractor trailers and some almost completely burned to the ground. Our jobs can be very demanding physically and emotionally at times.



Often, the initiating event is not even a crash but a simple flat tire or

some other vehicle malfunction. Regardless, in Florida, it is the responsibility of the driver to vacate the flow of traffic. The "Move It, Yes You Can" public information campaign was

launched in 2007⁽³⁾. Still many drivers involved in a minor crash with no injuries do not know that they can and should move their vehicles out of the way. We would do all a favor to take our time and always remind drivers of such as we assist them.

There are many programs and tools for maintaining the safety of the traveling public and our own when responding to an incident. The "Move Over Law" ⁽⁴⁾ provides additional safeguards but acute situational awareness and strict adherence to our training in the appropriate protocols and strategies for site management, traffic management and clearance, including field adjustments as conditions change, will always be the key to the successful management of all traffic incidents.

¹ Florida's Safety Management System Steering Committee Report. April 26, 2002

- ² WTSP News Report, January 9, 2008
- ³ Florida Department of Highway Safety and Motor Vehicles. Annual Performance Report. FY 2006-2007
- ⁴ Section 316.126(1)(b), Florida Statutes
- Contributed by Andy Núñez, PE (Metric Engineering, Inc.)



1 450



CLICK HERE

TAKES YOU TO



FILL IN ALL BOXES

AND THEN...

Tel: http://www.fl511.com/AddAccount.aspx		Live Search	Minimize
Edit <u>V</u> iew Favorites <u>T</u> ools <u>H</u> elp			
🛠 🛛 🗧 🕶 🔃 Florida's 511 Traveler Inform 🔃 Florid	a's 511 Traveler Inf 😒	🙆 • 📾 🖷 • 🗟	Page + 💮 Tools
 Primary Phone / PDA Number. 			
	Enter your number, including area code, without using spaces, dashes or parentheses. For example: 5551234567. When you call 511 from this number, you will receive roadway condition updates on your custom routes first. You can also subscribe to receive text message or voice alerts at this number. This service is free, however normal text or cell phone minute charges may apply.		
Secondary Phone / PDA Number:			
	You can also subscribe to receive text message or voice alerts at this number. This service is free, however normal text or cell phone minute charges may apply.		
* Language Preference:	English 🛩		
* Secret Question:	Who was your childhood hero?		
* Secret Answer:			
	Create Account		
	009 Florida Department of Transportation. All Rights Reserved		
		😝 Internet	100%
		\mathbf{N}	

CLICK HERE AFTER FILLING IN ALL BOXES

THE NEXT PAGE YOU SEE WILL BE...

The second se	aspx	🖌 🚧 🗶 Live Search	
Edit <u>V</u> iew Favorites <u>T</u> ools <u>H</u> elp			
	🔃 Florida's 511 Traveler Inform 🔃 Florida's 511 Traveler Inf 🗴		🛃 Page 🔹 🍏 Too
the second s	astbound and westbound travel lanes of US-90 will have lane clos	and the second	Acres All Alerte
Use caution in the area.		ures due to construction.	View All Alerts
Printer Friendly	Welcome, james hilbert - User Home Page Edit Profile	Logout	Españo
	User Homepage		
If this is your first time using My Florida	511, you will need to create at least one route or alert.		
Returning users may:			
Create a new custom route or alert			
Modify or delete an existing custom	route or alert		
Routes:			
Are a one-way trip (for example, Hor	me to Work)		
 Are a one-way trip (for example, Hot Must include at least one road and 	me to Work) at least one segment on that road (many roads contain multiple segments)		
Must include at least one road and		ter travel times, lane closures and ir	ncident
Must include at least one road and Each road covered by 511 is broken up reports, according to these segments.	at least one segment on that road (many roads contain multiple segments) into segments. The 511 system reports traffic information, including commu Segments reported by 511 may not exactly match a caller's route (i.e. when a	caller enters a highway in the middl	le of a 511
Must include at least one road and Each road covered by 511 is broken up reports, according to these segments.	at least one segment on that road (many roads contain multiple segments) into segments. The 511 system reports traffic information, including commu	caller enters a highway in the middl	le of a 511
 Must include at least one road and Each road covered by 511 is broken up reports, according to these segments, segment). Because of this, 511 travel ti 	at least one segment on that road (many roads contain multiple segments) into segments. The 511 system reports traffic information, including commu Segments reported by 511 may not exactly match a caller's route (i.e. when a	caller enters a highway in the middl	le of a 511
 Must include at least one road and Each road covered by 511 is broken up reports, according to these segments, segment). Because of this, 511 travel ti 	at least one segment on that road (many roads contain multiple segments) into segments. The 511 system reports traffic information, including commu Segments reported by 511 may not exactly match a caller's route (i.e. when a	caller enters a highway in the middl	le of a 511
 Must include at least one road and Each road covered by 511 is broken up reports, according to these segments, segment). Because of this, 511 travel ti 	at least one segment on that road (many roads contain multiple segments) into segments. The 511 system reports traffic information, including commu Segments reported by 511 may not exactly match a caller's route (i.e. when a imes are approximate and drivers may have to estimate their own travel time	caller enters a highway in the middl	le of a 511
 Must include at least one road and Each road covered by 511 is broken up reports, according to these segments segment). Because of this, 511 travel to segment. 	at least one segment on that road (many roads contain multiple segments) into segments. The 511 system reports traffic information, including commu Segments reported by 511 may not exactly match a caller's route (i.e. when a imes are approximate and drivers may have to estimate their own travel time	caller enters a highway in the middl	le of a 511
 Must include at least one road and Each road covered by 511 is broken up reports, according to these segments segment). Because of this, 511 travel to segment. 	at least one segment on that road (many roads contain multiple segments) into segments. The 511 system reports traffic information, including commu Segments reported by 511 may not exactly match a caller's route (i.e. when a imes are approximate and drivers may have to estimate their own travel time	caller enters a highway in the middl	le of a 511
 Must include at least one road and Each road covered by 511 is broken up reports, according to these segments segment). Because of this, 511 travel to segment. 	at least one segment on that road (many roads contain multiple segments) into segments. The 511 system reports traffic information, including commu Segments reported by 511 may not exactly match a caller's route (i.e. when a imes are approximate and drivers may have to estimate their own travel time User Routes	caller enters a highway in the middl	le of a 511
Must include at least one road and Each road covered by 511 is broken up reports, according to these segments. segment). Because of this, 511 travel to segment. Create Route	at least one segment on that road (many roads contain multiple segments) into segments. The 511 system reports traffic information, including commu Segments reported by 511 may not exactly match a caller's route (i.e. when a imes are approximate and drivers may have to estimate their own travel time User Routes	caller enters a highway in the middl	le of a 511

CLICK HERE TO SET UP YOUR ROUTE (TURNPIKE/HIGHWAY) INFORMATION

TAKES YOU TO...



Enter Roadway Information in boxes (above is example for US 27 to I 4) and then click here to save your segment and then...

AT THE BOTTOM OF THE PAGE...



Click here to enter your route into the 511 database.

NEXT YOU'LL SEE...



Click on OK

You will then see...



Click on User Home Page

AND YOU WILL GO BACK TO ...

90°	aspx	💌 😽 🗶 Live Search
<u>E</u> dit <u>V</u> iew F <u>a</u> vorites <u>T</u> ools <u>H</u> elp		
🗧 😬 👻 🔃 Florida's 511 Traveler Inform	. 🔃 Florida's 511 Traveler Inform 🔃 Florida's 511 Traveler Inf 🗴	🏠 🔹 🗟 👘 🔹 🔂 Page 🔹 🏐 To
Home 1	Traffic My Florida 511 Construction Info Emergency I	nfo Transit Links Help Newsroor
ERTS: Broward: Northbound L	75 ramp to US-27 South is closed due to construction. Please seek a	Iternate route. View All Alerts
Printer Friendly	Welcome, james hilbert - User Home Page Edit Profile Lo	ogout Españo
	User Homepage	-
If this is your first time using My Florida	511, you will need to create at least one route or alert.	
Returning users may:		
 Create a new custom route or alert Modify or delete an existing custom 		
Routes:		
	at least one segment on that road (many roads contain multiple segments)	
reports, according to these segments.	into segments. The 511 system reports traffic information, including commuter Segments reported by 511 may not exactly match a caller's route (i.e. when a ca mes are approximate and drivers may have to estimate their own travel time ba	aller enters a highway in the middle of a 511
	User Routes	
Create Route		
Create Route	Alerts	
Create Route		Internet 😤 100%

CLICK HERE TO SET UP WHEN/HOW YOU WILL RECEIVE YOUR ROUTE ALERTS WHICH CAN BE SENT BY EMAIL, TEXT MESSAGE AND/OR PHONE CALLS.

This will take you to



AND YOU WILL SEE

Saved route(s) and alert(s) will be listed here.

	Florida's 511 Traveler Information System My Florida	511 - Windows Internet Explorer		
Create a new custom route or alet Returning users may: Create a new custom route or alet Returning users may: Create a new custom route or alet Returning users may: Create a new custom route or alet Returning users may: Create a new custom route or alet Returning users may: Create a new custom route or alet Returning users may: Are a one-way thip (for example) Home bWfork) Must include at least one segment on that road (many roads contain multiple segments) Each road covered by 511 is broken to into segment on that road (many roads contain multiple segments) Each road covered by 511 is broken to into segment on that road (many roads contain multiple segments) Each road covered by 511 is broken to into segment and that road (many roads contain multiple segments) Each road covered by 511 is broken to into segment and that road (many roads contain multiple segments) Each road covered by 511 is broken to into segment and that road (many roads contain multiple segment). User Roades User Roades Eath road covered by 511 is broken to into segment and that road (many roads contain multiple segment). Eath road covered by 511 is broken to into segment and drivers may have to estimate their own travel time based on 511 is reported travel time for the entire segment. User Roades Eath road covered by 511 is broken to into segment and there may have to estimate their own travel time based on 511 is reported travel time for the entire segment. Eath road covered by 511 is protect travel times. Leader based on 511 is reported travel time for the entire segment. User Roades Eath route Home to Work: Create Route Create Alert Out can create new pounded and can be added to reate a new pounded and the segment and	- III http://www.fl511.com/UserHome.aspx		🖌 😽 🗙 Live Search	1
If this is your first time usink My Norida 511, you will need to create at least one route or alert. Returning users may: Create a new custom route or alert Nutes: Are a one-way tip (of example Home taylon) Must include at least one road and at least one segment on that road (many roads contain multiple segments) Each road covered by 511 is broken to not segment. The 511 sigtem reports traffic information, including commute travel times, lane closures and incident response, because of this, 511 travel mes are aphroximate and drivers may have to estimate their own travel time based on 511's reported travel time for the entire segment. Hame Home to Work Hame User Routes Hame User Route Netto: Neto: Netto: Netto: Netto: Netto: Netto: Netto: Netto: Netto: N	e <u>E</u> dit <u>V</u> iew F <u>a</u> vorites <u>I</u> ods <u>H</u> elp			
Returning users may:	😵 🔠 🔹 🔃 Florida's 511 Thevelor Inform 🔃 Florida's 511	Traveler Inform 🔝 Florida's 511 Traveler Inf 🗶 👘	🟠 • 🗟 👼 • 🔂 Bag	ge 🔹 🌍 T <u>o</u> ols
Name Edit Delete Home to Work Edit Delete Create Route Alerts Name Schedule User Route: Home to Work Mon, Tue, Wed, Thu, Fri; 06:30 AM to 09:30 AM Create Alert Internet Ou can create new oute(s) and/or You can edit/delete saved routes/alert	Returning users may: • Create a new custom route or alert • Modify or delete an existing custom route or alert Routes: • Are a one-way trip (for example Home toWork) • Must include at least one road and at least one segments Each road covered by 511 is broken up into segments. T reports, according to these segmenta Segments reporte segment). Because of this, 511 travel imes are approxim	ient on that road (many roads contain multiple segments) he 511 system reports traffic information, including comm ad by 511 may not exactly match a caller's route (i.e. when	nuter travel times, lane closures and inciden a caller enters a highway in the middle of a	511
Home to Work Create Route Alerts Al		User Routes		
Create Route Alerts Name Schedule User Route: Home to Work Mon, Tue, Wed, Thu, Fri; 06:30 AM to 09:30 AM Create Alert Internet Ou can create new oute(s) and/or You can edit/delet saved routes/alert	Name		Edit Delete	
Alerts Name Schedule User Route: Home to Vork Mon, Tue, Wed, Thu, Fri; 06:30 AM to 09:30 AM Create Alert Internet Ou can create new ute(s) and/or You can edit/delet saved routes/alert	Home to Work	4	Edit De	lete
User Route: Home to Work Mon, Tue, Wed, Thu, Fri; 06:30 AM to 09:30 AM Edit Delete Create Alert Route: Home to Work Route Alert Route Aler	Create Route	Alerts		
Create Alert	Name	Schedule	Edit Delete	
Du can create new ute(s) and/or	User Route: Home to Work	Mon, Tue, Wed, Thu, Fri; 06:30 AM to 09	2:30 AM Edit De	elete
oute(s) and/or saved routes/alert	Create Alert		Internet	€ 100%
oute(s) and/or saved routes/alert			V	
			You can edit/	delete
ert(s)	ute(s) and/or		saved routes	/alerts

AND YOU ARE DONE!



CHARLIE CRIST GOVERNOR 605 Suwannee Street Tallahassee, FL 32399-0450 STEPHANIE C. KOPELOUSOS SECRETARY

MEMORANDUM

Date: January 5, 2010

To: Road Ranger Survey for Incident Responders Participant

From: Paul Clark, Incident Management/Commercial Vehicle Program Manager

Subject: Statewide Road Ranger Survey for Incident Responders

It is my pleasure to provide you with a copy of the "Statewide Road Ranger Survey for Incident Responders." The goal of this survey is to get input on the Road Ranger Program from the perspective of the Incident Responder. We hope to use this data to improve the program and determine where enhancements are needed.

After you have completed the survey please send it to one of the following locations:

Physical mail: Florida Department of Transportation 605 Suwannee Street, MS 90 Attn: Patrick Odom Tallahassee, FL 32399-0450

E-mail: patrick.odom@dot.state.fl.us

Fax: 850-410-5501

I would like to thank you in advance for your assistance in filling out this survey. The survey period will end on March 1, 2010 so please try to have it to us before then. If you have any comments or questions please feel free to contact me at (850)410-5607 or at paul.clark@dot.state.fl.us.

		•			
	ency do you represent?				
FHP O	Other Law Enforcement O	Fire Rescue/EMS O	Oth O		
2. County where you	worked with the Road R	Ranger:			
3. When was your las	t experience working w	ith a Road Ranger?			
Less than 1 week O	1 week to 30 days O	30 to 60 days O		60 to 120 days O	More than 120 days O
4. If you requested a l	Road Ranger(s), how lo	ng did it take them to	arrive?		
0 - 15 mins. O	15 – 30 mins. O	Over 30 mins. O		Unknown O	N/A O
5. Road Ranger respo	onse times are acceptab	le.			
Strongly Disagree	Disagree	Neutral		Agree	Strongly Agree
Ŏ	0	0		0	Õ
Please rate your level	of satisfaction with the	Road Ranger service	patrol o	perators in the follow	ing categories:
	Extremely Dissatisfied	Dissatisfied	Neutral	Satisfied	Extremely Satisfied
6. Professionalism	0	0	0	0	0
7. Respectfulness	0	0	0	0	0
8. Helpfulness	0	0	0	0	0
9. Competency	0	0	0	0	0
10. Road Ranger vehi	cles are adequately equ	lipped.			
Strongly	Disagree	Neutral		Agree	Strongly
Disagree O	O	O		O	Agree O
0	C C	C		0	Ũ
	rators are thoroughly tra	ained for their job.			
Strongly Disagree	Disagree	Neutral		Agree	Strongly Agree
Ő	0	0		0	Õ
12. Services provided	l by Road Rangers are h	nelpful in resolving ind	cidents.		
-	Disagree	Neutral		Agree	Strongly
Strongly	O	O		O	Agree O
Disagree		0		Ŭ	Ű
Disagree O					
Disagree O 13. The Road Ranger	Program has made it ea	asier for me to perform	n my dut	ies.	
Disagree O		asier for me to perforn Neutral	n my dut	ies. Agree	Strongly Agree

What additional roadway segments would you like to see Road Ranger Patrols expanded to?_____

If you have any additional comments regarding Road Rangers please provide them on another sheet of paper.