Typical Scenario A: Two-Car Crash in Lane

- with injuries
- moderate to light traffic
- Level 1 2
- emergency traffic control







- On-scene responders utilize only rear facing emergency lights
- DOT = Road Ranger or Asset Management unit with arrow board or DMS
- Advance Warning Signs placed by secondary response unit
- Set taper with traffic cones
- Flagger at crash site for positive traffic control










Typical Scenario B: Single Car Rollover in Lane

- with injuries
- moderate to light traffic
- Level 1 2
- emergency traffic control







- On-scene responders utilize only rear facing emergency lights
- DOT = Road Ranger or Asset Management unit with arrow board or DMS
- Advance Warning Signs placed by secondary response unit
- Set taper with traffic cones
- Flagger at crash site for positive traffic control










Typical Scenario C: Single Car Rollover in Lane

- with injuries
- heavy traffic
- Level 1 2
- emergency traffic control







- On-scene responders utilize only rear facing emergency lights
- DOT = Road Ranger or Asset Management unit with arrow board or DMS
- Advance Warning Signs placed by secondary response unit
- Set taper with traffic cones
- Flagger at crash site for positive traffic control










Typical Scenario D: Single Car Rollover off Road

- with injuries
- heavy traffic
- Level 1 2
- emergency traffic control







- On-scene responders utilize only rear facing emergency lights
- DOT = Road Ranger or Asset Management unit with arrow board or DMS
- Advance Warning Signs placed by secondary response unit
- Set traffic cones on edge of shoulder
- Flagger at crash site for positive traffic control










Typical Scenario E: Jackknifed Tanker

- no injuries
- heavy traffic
- Level 2
- emergency traffic control
- Liquid Nitrogen inert gas
- Not leaking
- Diesel fuel spill




- On-scene responders utilize only rear facing emergency lights
- DOT = Road Ranger or Asset Management unit with arrow board or DMS
- Advance Warning Signs placed by secondary response unit
- Set taper with traffic cones
- Flagger at crash site for positive traffic control





Typical Scenario F: Two-Car Intersection Crash

- blocking multi-lane intersection
- Level 1 2
- emergency traffic control



- Set taper with traffic cones
- Flaggers at crash site for positive traffic control









