



Participants

- □ City of Marco Island Fire Rescue
- □ North Naples Fire Control & Rescue
- □ City of Naples Fire Department
- □ Golden Gate Fire Control & Rescue
- Collier County Emergency Medical Service



State of Florida

- □ One of 28 designated State teams receiving state funding
 - Equipment
 - Sustainment
 - Training
- □ We have received annual funding since 2001
- □ 2006-07 ~ \$ 38,412 (sustainment / training)
- State Teams utilize common Standard
 Operating Procedures

State of Florida

- Designated as a Type II Team
 - Enhanced Hazmat Team with WMD response capability
 - Requires 15 technicians on-scene
 - Recognition and Identification of:
 - □ Chemical, Biological, WMD substances
 - 72 hour self-sustainable
 - Field testing, Air Monitoring, Sampling,
 Radiation detection, WMD Protective Clothing,
 Decontamination and Mitigation

RDSTF Region 6


- □ RDSTF Region 6 resource serving
 - Collier, Lee, Sarasota, Charlotte, Hendry,
 DeSoto, Glades, Highlands, Okeechobee
- □ Region 6 Hazmat Teams
 - Collier, Ft Myers, Sarasota, Charlotte
 - Each with a State Coordinator
 - Each Team has a Team Leader

Hazardous Materials Technicians

- □ Our team has 75 Hazmat Technicians
- □ 160 hr training with State Certification
- □ Annual Competency Assessment
- □ Technical training / specialization
- □ Participate in State, Regional & County Drills
- □ Team is assessed by the State of Florida every 5 years

Equipment

- □ Three Hazmat equipment trailers with haulers
- □ One Specialized Monitoring Unit / Lab
- □ Three Mass Decon trailers
- □ One Air / Light Unit
- □ Four Command Units / Chief Officers



Specialized Equipment

Multigas Detector

PID four-gas detector

Simultaneously monitors combustible, toxic and oxygen-deficient atmospheres



Specialized Equipment

SEARCHCAM

A wireless video camera system that gives incident command personnel the ability to see and hear in real time what the Entry Team encounters in the Exclusion Zone

Provides a means to use technical experts from the safety of the Support Zone.





Ludlum

Alpha, Beta, Gamma Radiation Detector



Casualty Response System

Victim Decon







Incident Response

- □ Dispatch
 - Call intake information
 - Appropriate resources dispatched



Incident Response

- □ First Responder Arrival
 - Size up / Hazard Assessment
 - Establish Command / Unified Command
 - Rescue
 - PPE
 - Emergency Decon
 - Establish isolation zone
 - Public Protection
 - Recognition of hazard



Hazmat Team Arrival

Compromised Life Safety

- □ Meet with Command / Establish Hazmat Group / Branch
- □ Confirm first responder activities / information / Hazmat Size-up
- □ Develop Incident Action Plan / Site Specific Safety Plan
- □ Pre-entry safety briefing / Suit up
- □ Entry / Environmental Monitoring
- □ Rescue
- □ Emergency Decontamination (established by first responders)
- □ First entry within 20 minutes

Hazmat Team Arrival

No Life Safety

- □ Meet with Command / Establish Hazmat Group / Branch
- □ Confirm first responder activities / information
- □ Hazmat Size-up
- Confirm Notifications
- □ Assess isolation zones
- □ Weather monitoring
- Determine Hazmat operations area
- □ Hazmat Staging
- Develop Incident Action Plan
- □ Assess Capabilities

Hazmat Team Arrival

No Life Safety

- □ Develop site specific safety plan
- □ Research
- □ Decon set-up
- □ Pre-entry medical evaluation
- □ Pre-entry safety briefing
- □ Monitoring / identification
- □ Suit up
- □ Entry / Recon within 45 minutes
- Decontamination
- □ Rehab / Hazmat Medical Monitoring / Debriefing

Medical

- □ Collier County EMS provides Tox-Medics
- □ 2 CCEMS Medic Units staffed daily
- □ Collier County EMS supports Hazmat Techs
- Provides Incident Rehab
- □ Provides Medical Transport
- Performs Fine Patient Decontamination

Funding

- □ Future grant funding is in jeopardy
- □ Tax reform will impact ability to provide specialized services such as Hazmat
- □ Equipment sustainment is costly
- Maintaining competencies requires continual training of personnel
- □ County Cost Recovery Ordinance

Questions ??